

278, Central Bazar Road, Ramdaspeth, Nagpur (MS). Ph. : 0712 - 666 9 600 Email : info@meditrinainstitute.com | Visit us : www.meditrinainstitute.com Emergency No. : 071266696666 / 6669612

CENTRAL INDIA'S ONLY HOSPITAL CERTIFIED WITH NABH, ISO0001:2006 QMS, ISO 14001:EMS, QHSAS 18001:2007

To, The Chairman Sumantai Wasnik Institute Of Nursing College,

Date: - 1/5/2024

Subject: Regarding providing affiliation to your nursing college for the clinical Training of nursing students.

Respected Sir/Madam,

Nagpur.

I am pleased to inform you, that our hospital is hereby giving affiliation to your college or posting of B.S.C Nursing students for the academic year 2024-2025

This is for your information

With warm regards,





### MEMORANDUM OF UNDERSTANDING

#### Academic year 2024-25 and 2025-26

The Memorandum of Understanding is made in Nagpur on 19 June 2024 between Chairman of Sumantai Wasnik Institute of Nursing. Shivpriya Nagar opp. Ganesh Nagar, Dabha, Nagpur – 440023 of the ONE PART

#### AND

Meditrina Hospital, Institute of Medical Sciences, Nagpur. 278, Central Bazar Road, Ramdaspeth, Nagpur. that offer healthcare services and have a dedicated team of specialists. OTHER PART

#### Wherease

Sumantai Wasnik Institute of Nursing Shivpriya nagar opp. Ganesh Nagar, Dabha, Nagpur – 440023 of

**ONE PART** is affiliated to Maharashtra State Board of Nursing and Paramedical Education, Mumbai. Recognized by Indian Nursing Council, New Delhi has asked for clinical training of its RANM Nursing students, including their practical exam at **Meditrina Hospital, Institute of Medical Sciences Nagpur.** throughout their academic session.

- 1

AND

Whereas Meditrina Hospital, Institute of Medical Sciences Nagpur. has expressed their consent and interest to permit for their clinical training including practical exam at Meditrina Hospital, Institute of Medical Sciences Nagpur. throughout their academic session.

The terms and conditions of agreement for permission will be as given below.

1. The agreement will be valid for the period of  $\mathbf{1}$  (One) yr. from the date of agreement subject to renewal after every academic year.

2. The students will have to abide by the code of conduct of the hospital.

3. The students will be posted at the hospital with prior information to the hospital authority.

4. The college will utilize the hospital facility for clinical training of its students for throughout each academic year.

5. No patient details will be used for any other purpose other than academic use of students of the party no. 1 Institute.

6. The hospital reserve the right to discontinue any student and take disciplinary action as deemed fit for the action and misconduct performed during the course of training at Meditrina Hospita!, Institute of Medical Sciences Nagpur.

7. The clinical training in no way should harm any admitted patient or cause any discomfort of any nature to the patient.

8. The confidentiality of patients and patients right to be adhered to during the course of students training.

9. The College shall pay @ Rs 1500 Per students to the hospital for Clinical Training.

10. The Association is purely for academic purpose only.

Wasnik Sor

Dr Dipti Wasnik Saxena

Chairman

Sumantai Wasnik Institute of Nursing Nagpur

CHAIRMAN INDIAN YOUTH WELFARE MULTIPURPOSE SOCIETY NAGPUR,



Meditrina Hospital, Institute of Medical Sciences

# NAGPUR MUNICIPAL CORPORATION, NAGPUR

#### (HEALTH DEPARTMENT)



#### FORM-C

Certificate of Registration under Section 5 of Bombay Nursing Home Registration Act, 1949 (rule 5)

### **Nursing Home Registration Certificate**

This is to certify that Shri/Smt. <u>Dr. Sameer N. Paltewar (MBBS, MS, MCH)</u> has been registered under the Bombay Nursing Home Registration Act 1949 in respect of <u>Meditrina</u> <u>Institute of Medical Science</u> situated at <u>Plot No. 278, Lendra Park, Central Bazar</u> <u>Road, Ramdaspeth, Nagpur</u> and has been authorized to carry on the said nursing home.

Registration No. : 895 Date of Registration : 20/01/2012 Place : Nagpur Date of issue of certificate :01/04/2023

Maternity : 10 Other Nursing : 90

This certificate of registration shall be valid up to 31 Mar 2026.



Signature

Registering Authority Medical Officer Health Nagpur Municipal Corporation

This Certificate of Registration should be displayed at prominent place. Application for renewal should be done in advance in the month of january.

# MAHARASHTRA POLLUTION CONTROL BOARD

Tel: 24010437/24020781 Fax: 24024068/24023515 Website: http://mpcb.gov.in Email: pso@mpcb.gov.in



Kalpataru Point, 2nd and 4th floor, Opp. Cine Planet Cinema, Near Sion Circle, Sion (E), Mumbai-400022

RED/L.S.I

No:- Format1.0//UAN No.0000090545/CR 2108000654 To,

M/s. Meditrina Institute of Medical Sciences 278,C B Road Ramdaspeth Nagpur, Nagpur-440010 Email:info@meditrinainstitute.com Contact No.:8237015610



Date: 10.08-21

Renewal of Combined Consent and BMW Authorization (CCA) under the provisions of Water (P & CP) Act, 1974, Air (P & CP) Act, 1981 and Bio-Medical Waste Management Rules, 2016 as amended and Hazardous Waste (M & TM) Rules, 2016.

- Ref: 1. Your application for grant of renewal of Combined Consent to Operate & BMW Authorization received to MPCB, HQ on 07.09.2020.
  - 2. SCN for refusal of application issued on 18.09.2020.
  - 3. Minutes of personal hearing dated 07.01.2021.
  - 4. Refusal order no. MPCB/PSO/BMW/B: 2101000314 dated 08.01.2021.
  - 5. An appeal made by your Chairman cum Managing Director before Secretary, Dept. of Environment, GoM dated 03.02.2021 & 12.05.2021.
  - 6. Appeal withdrawal letter copy submitted to Secretary, Envi. Deptt., GOM and request email & letter submitted for review of Refusal order dated 16.06.2021.
  - 7. Minutes of personal hearing dated 28.07.2021.
  - 8. Relevant information submitted / uploaded by you the on your online application on 04 & 06.08.2021.
  - 9. Report submitted by SRO, Nagpur I vide email dated 05.08.2021.

After examining the proposal, The Maharashtra Pollution Control Board hereby Renew Combined Consent and BMW Authorization to HCE under Section 25/26 of the Water (P&CP) Act, 1974, Section 21 of the Air (P&CP) Act, 1981 and Bio-Medical Waste Management Rules, 2016, and Authorization under Rule 5 of the Hazardous Wastes (Management & Transboundary Movement) Rules, 2016 respectively, Under Environment (Protection) Act, 1986, subject to terms and conditions as specified below and in the Schedules(I-IV) and Annexures (I-II) enclosed in this order.

- 1. The renewal of conditional Combined Consent to Operate and Biomedical Waste Authorization is granted from 30-12-2019 To 30-12-2022
- 2. The capital investment of the HCF is ₹4256.00 Lakhs (As per C.A Certificate submitted by HCF)
- 3. HCF Area: Plot Area 890.01 M<sup>2</sup> with Built-up area 3044.04 M<sup>2</sup>.

Meditrina Institute of Medical Sciences/CR/UAN No.MPCB-CONSENT-0000090545/QMS.PO6\_F02/00

#### 4. Activities Included

A. Total Number of Beds : 100 Nos (As per BNH certificate no. 895 valid upto 31-03-2023)

L. General Beds : 100 Nos

#### 5. Conditions under the Water (P&CP) Act, 1974:-

- Quantity of total water consumption shall not exceed 35.00 M<sup>3</sup>/day. You shall not use the ground water without obtaining prior permission of Central Ground Water Authority.
- You shall provide adequate treatment & disposal facility for sewage & Effluent generated as specified in Annexure-I
- You shall provide water meter at water intake point & at sewage/Effluent disposal point and shall maintain monthly records thereof.

#### 6. Conditions under the Air (P&CP) Act, 1981:-

- You shall use the fuel for DG set and Boiler(s) as specified in the Annexure-II.
- You shall provide adequate emission control system to DG set and Boiler(s) as specified in Annexure-II.
- You shall strictly observe noise standards applicable for DG set stack emission and ambient noise level as per Annexure-II.

#### 7. Conditions under Hazardous Waste (M & TM) Rules 2016:-

You shall have valid membership of CHWTSDF and shall dispose the Hazardous waste generated i.e. ETP sludge in strict compliance with said rules and maintain record thereof.

Sr No	Type of Waste	HW Category no.	Quantity (MT/Annum)	Disposal
1	and the second second	The second		NA

8. Conditions under Solid Waste Management rules 2016 (As Amended, 2018 and 2019):-

- You Shall Handover Solid waste (Other Than BMW) to Local bodies as per provisions of SWM Rules, 2016.
- 2. You shall Not mix general solid waste with Bio Medical Waste.
- 9. Conditions under BMW Management rules, 2016 (As Amended, 2018 and 2019):-
  - You shall adhere to the BMW Generation quantity and storage conditions as specified in Schedule-I of BMW Management Rules, 2016, as amended.
  - You shall segregate and handover BMW to BMW T&D CTF Superb Hyglenic Disposals Strictly complying with the Provisions of Schedule-I and Maintain record of the same.
  - 3. Cytotoxic Drugs/ Waste: You shall have separate storage, marked with the symbol of Bio Hazard & Cytotoxic Hazard for outdated, discarded, unused cytotoxic drugs/waste and submit details of Management and Handling of outdated, discarded, unused Cytotoxic drugs in the format prescribed by CPCB which is available on www.cpcb.nic.in along with Annual Report to MPCB with a copy to CPCB before 30th June of every year.

Page 2 of 11

- 4. Mercury Waste: You shall manage the Mercury Waste in HCE in environmentally sound manner (including storage, spilled collection, transportation and disposal) as per guidelines published by CPCB as detailed in document entitled "Environmentally Sound Management of Mercury Waste in Health Care Facilities" (www.cpcb.nic.in).
- 10. You shall not undertake Modifications/ Upgrdation in existing facility without obtaining prior Environment Clearance under the Provision of EIA notification, 2006 Or Consent to Establish from the MPC Board as applicable.
- 11. Any unauthorized change in Location, Name, personnel, equipment or working conditions as mentioned in the application by you shall constitute a breach of this CCA. In case of any change you shall apply fresh for CCA or amendment as applicable.
- 12. You shall not Rent, Lend, Sell, Transfer or Close Down the facility or otherwise transport / Handover the Bio-Medical waste generated for any other purpose without obtaining prior written permission of the MPC Board.
- 13. This Board reserves the right to review, amend, suspend, revoke, or change any of the conditions applicable under this CCA and the same shall be binding on the HCE.
- 14. You shall maintain records of MPC board Officers visit and shall obey all the lawful instructions issued by the Board Officers from time to time.
- 15. Any violation of provisions of BMW Management Rules, 2016 as amended shall attract the penal provisions of Environment (Protection) Act, 1986 and Violations under the provisions of Water (P&CP) Act 1974, Air (P&CP) act 1981 shall attract provisions of respective act including closure of the facility and prosecution.
- 16. This CCA shall not be construed as exemption from obtaining necessary NOC/permission from any other Government agencies as applicable.
- 17. As per the JVS dated 02.03.2019, BOD parameter found exceeds the CCA limit; hence, 25 % Bank Guarantee for Operation and Maintenance of combined wastewater treatment plant to achieve prescribed discharged standards is eligible to forfeit & shall submit double Bank Guarantee.
- 18. You shall obtain NOC of CGWA, Nagpur, in case of using extracted ground water for Hospital.
- 19. You shall submit separate online consent application for Oxygen Generation Plants operating by you for hospital.
- 20. You shall submit the Bank Guarantee of Rs. 2,87;500 /- towards compliance of conditions as specified in Schedule III to Regional Officer, MPCB, Nagpur within 15 days.

For and on behalf of the Maharashtra Pollution Control Board.

(Dr. A. R. Supate)

**Principal Scientific Officer** 

**Received Consent/Authorization fee of -**

	Sr.No	Amount(Rs.)	Transaction/DR.No.	Date	Transaction Type
1	1	225000.00	TXN1911000609	13/11/2019	Online Payment
11 2 C	2	15000.00	TXN1911000418	20/11/2019	Online Payment

Meditrina Institute of Medical Sciences/CR/UAN No.MPCB-CONSENT-0000090545/QMS.PO6 F02/00